

Material & Finish :

\* Insulation: Nylon 66

\* Contact: Brass

△ Circuit Pattern Schedule:  
See Drawing No: CP0111S\*

Ordering Code:

CP-01 4 \*\* 1 \* 0  
① ② ③ ④ ⑤ ⑥

① Series No.

② Type of Connector:  
4= Right angle PCB mount header






③ No of Circuits:

△④ Plating Code: 1= Tin plated over Nickel  
2= Gold flash plated over  
0.76μm(30μ") Nickel  
3= 0.38μm(15μ") Gold plated  
over 1.27μm(50μ") Nickel



⑤ Variation:

1= UL 94V-2, Without mounting ears  
3= UL 94V-0, Without mounting ears

⑥ Option: 0= Color Nature (Standard)  
1= Color Black



Recommended P.C. Board Layout

④					DATE	UNIT: mm / inch	TITLE: RIGHT ANGLE HEADER	 瀚荃股份有限公司 CviLux Corporation			
③					DRAWN BY: Sandy	02/20-06'	CP-01 POWER CONNECTOR				
②	Sandy	2/20/06'	ECN06054		ENGINEER: Easley	02/20-06'	MATERIAL:	DRAWING NO. CP0107SI	PART NO.	CP-014***1*	
①	SUN	1/15/04'	ECN04025		CHECKED BY: Alex	02/20-06'	.X ± 0.38/.015 X' ± r'	FINISH:	SCALE 2 / 1	SHEET 1 OF 1	CP-014***3*
SYM	NAME	DATE	REVISIONS	APPROVED BY: Alex	02/20-06'	.XX ± 0.25/.010 .X' ±					
						.XXX ± 0.10/.004 .XX' ±					