

Lead Free Process      Halogen-Free      RoHS compliant

4						UNIT: mm / inch
3						TOLERANCE UNLESS OTHERWISE SPECIFIED
2	Enya	4/02-14'	ECNT114047/ECRB114009	ENGINEER:	Sun	.X ± 0.20/.008    X' ± 1'
1	Clark	12/15-11	ECN11274	CHECKED BY:	Eisley	.XX ± 0.10/.004    .X' ±
SYM	NAME	DATE	REVISIONS	APPROVED BY:	Eisley	.XXX ± 0.05/.002    .XX' ±

**CVILUX CORP**  
**2014.04.11**  
**ISSUED**

TITLE: 1.00mm(.039") ZIF FFC/FPC ONE-TOUCH CONNECTOR


MATERIAL:

FINISH:



瀚荃股份有限公司  
CviLux Corporation

DRAWING NO.	CF1105SB	PART NO.	CF11302D0*A-10-NH
SCALE	4 / 1	SHEET	1 OF 3



Material :

- \* Body : High temperature plastic UL 94V-0  
Color Nature
- \* Cover : High temperature plastic UL 94V-0  
Color Black
- \* Contact : Phosphor Bronze
- \* Fixed tab : Brass with Tin Plated

### Ordering Code

CF11 30 2 D 0 \* A - 10 - NH  
 ① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

- ① Series No.
- ② No. of Circuits: 30 Pin
- ③ Plating code:  
2= Gold flash plated over Nickel
- ④ Contact style: D= Downside contact
- ⑤ Color: 0= Nature
- ⑥ Other option: R= Tape & Reel  
T= Tube Packing
- ⑦ A= Special type
- ⑧ 10= Pitch 1.00mm
- ⑨ NH= For Leadfree IR Processes  
and Halogen-Free


Accommodated FFC/FPC

Lead Free Process

Halogen-Free

RoHS compliant

④					DATE	UNIT: mm / inch
③						TOLERANCE UNLESS OTHERWISE SPECIFIED
②	Enya	4/02-14'	ECNT114047/ECRB114009	DRAWN BY: Sun	4/07-14'	.X ± 0.20/.008 X' ± 1'
①	Clark	12/15-11	ECN11274	ENGINEER: Sun	4/08-14'	.XX ± 0.10/.004 X' ±
SYM	NAME	DATE	REVISIONS	CHECKED BY: Eisley	4/08-14'	.XXX ± 0.05/.002 X' ±
				APPROVED BY: Eisley	4/08-14'	




TITLE: 1.00mm(.039") ZIF FFC/FPC ONE-TOUCH CONNECTOR
MATERIAL:
FINISH:



瀚荃股份有限公司  
CviLux Corporation

DRAWING NO. CF1105SB	PART NO. CF11302D0*A-10-NH
SCALE 4 / 1	SHEET 2 OF 3





NOTE :

- \* Reel Material : Corrugated Paper
- \* Carrier Material : Clear, Conductive Polystyrene Alloy
- \* Cover Tape Material : Polyester
- \* Cover Tape Peel Strength : 0.1N – 1.3N
- \* Carrier camber is within 1mm in 100mm
- \* All dimensions meet EIA-481-2 & EIA-481-3 requirements.
- \* Quantity : 1500 PCS/Reel
- \* Packing : 4 Reel/Cartron

WIDTH : 56 mm Carrier

RoHS Compliant

4					DATE	UNIT: mm / inch	TITLE: 1.00mm(.039") ZIF FFC/FPC ONE-TOUCH CONNECTOR	 瀚荃股份有限公司 CviLux Corporation
3					4/07-14'	TOLERANCE UNLESS OTHERWISE SPECIFIED	MATERIAL:	
2	Enya	4/02-14'	ECNT114047/ECRB114009		DRAWN BY: Sun	.X ±	.X' ± 1'	DRAWING NO. CF1105SB
1	Clark	12/15-11	ECN11274	ENGINEER: Sun	4/08-14'	.XX ±	.X' ±	PART NO. CF11302D0*A-10-NH
SYM	NAME	DATE	REVISIONS	CHECKED BY: Eisley	4/08-14'	.XXX ±	.XX' ±	SCALE
				APPROVED BY: Eisley	4/08-14'			SHEET 3 OF 3