



Material :

* Body : LCP UL 94V-0, Color Nature

△ * Slider : LCP UL 94V-0, Color Black

* Contact : Phosphor Bronze

* Fixed tab : Phosphor Bronze with Matte Tin plated



Ordering Code

CF41 12 2 H 0 R 0 -LF
① ② ③ ④ ⑤ ⑥ ⑦ ⑧

① Series No.

② No. of Circuits

③ Plating code:

2= Gold flash over 0.76μm(30μ") Nickel

④ Contact style: H= Side entry

⑤ Color: 0= Nature

⑥ Packing option: R= Tape & Reel

⑦ Other option: 0= Standard

⑧ -LF= Lead Free IR Process

Lead Free Process


RoHS compliant

4				Civilux Corp 2013.03.07 ISSUED		DATE	UNIT: mm / inch		TITLE: 0.50mm(.020") ZIF FPC ONE-TOUCH CONNECTOR (H= 1.30mm)	 瀚荃股份有限公司 CviLux Corporation				
3					DRAWN BY:	Enya	2/25-13'	TOLERANCE UNLESS OTHERWISE SPECIFIED						
2					ENGINEER:	Eisley	2/26-13'	.X ± 0.15/.006	X' ± .1'					MATERIAL:
1	Enya	2/5-13'	ECN13034-0/ECR13005-1		CHECKED BY:	Eisley	2/26-13'	.XX ± 0.10/.004	.X' ±					FINISH:
SYM	NAME	DATE	REVISIONS		APPROVED BY:	David	2/26-13'	.XXX ± 0.05/.002	.XX' ±		DRAWING NO.	CF4101SB	PART NO.	CF41122H0R0-LF
											SCALE	8 / 1	SHEET	1 OF 3



RoHS Compliant


4				CVILUX CORP 2013.03.07 ISSUED			DATE	UNIT: mm / inch	TITLE: 0.50mm(.020") ZIF FPC ONE-TOUCH CONNECTOR (H= 1.30mm)	 瀚荃股份有限公司 CviLux Corporation			
3					DRAWN BY:	Enya	2/25-13'	TOLERANCE UNLESS OTHERWISE SPECIFIED					
2					ENGINEER:	Eisley	2/26-13'	MATERIAL:					
1	Enya	2/5-13'	ECN13034-0/ECR13005-1		CHECKED BY:	Eisley	2/26-13'	FINISH:					
Sym	NAME	DATE	REVISIONS	APPROVED BY:	David	2/26-13'	.XXX ± 0.05/.002	.XX" ±		DRAWING NO.	CF4101SB	PART NO.	CF41**2H0R0-LF
							.X ± 0.15/.006	X." ± 1"		SCALE	8 / 1	SHEET	2 OF 3
							.XX ± 0.10/.004	.X" ±					



NOTE :

- * Reel Material : HIPS
- * Carrier Material : Poystyrene
- * Cover Tape Material : PET,PE,PEF
- * Cover Tape Peel Strength : 0.1N – 1.3N
- * Carrier camber is within 1mm in 100mm
- * All dimensions meet EIA-481-2 requirements.
- * Quantity : 5000 PCS/Reel

Circuits	Dimension				
	E	F	W1	W2	W3
12	24.0(.945)	—	24.0(.945)	28.0(1.102)	24.0(.945)



WIDTH : 24 mm Carrier

RoHS Compliant

4					DATE	UNIT: mm / inch	TITLE:	 瀚荃股份有限公司 CviLux Corporation			
3					DRAWN BY: Enya	2/25-13'	TOLERANCE UNLESS OTHERWISE SPECIFIED				
2					ENGINEER: Eisley	2/26-13'	.X ±	.X' ±	DRAWING NO. CF4101SB		
1	Enya	2/5-13'	ECN13034-0/ECR13005-1		CHECKED BY: Eisley	2/26-13'	.XX ±	.X' ±			
SYM	NAME	DATE	REVISIONS		APPROVED BY: David	2/26-13'	.XXX ±	.XX' ±	FINISH:		
									SCALE		SHEET 3 OF 3