

Notes :

- * Base: High Temperature Plastic UL 94V-0
Color Black (Halogen-Free)
- * Contact: Copper Alloy
- * Shell: Stainless Steel
solder area gold flash over nickel
- * For Lead-Free IR Reflow process

Ordering Code:

CI99 ** M 2 H R E -NH
① ② ③ ④ ⑤ ⑥ ⑦ ⑧


- ① Series No.
- ② No. of Circuits: 06, 07, 08, 09 Pin
- ③ M= SMT Type
- ④ Plating: 2= 0.03um(1.2u") Min. Gold Flash
Plating on Contact area and
Solder tails, 1.27um(50u") Nickel
Underplating over all
- ⑤ Type: H= Side entry
- ⑥ Packing Options: R= Tape & Reel packing
- ⑦ Option: E= E type
- ⑧ Other option:
-NH= For Lead Free IR Processes
and Halogen-Free


Circuits	Dimension			
	A	B	C	D
06	10.00(.394)	17.0(.669)	12.2(.480)	15.7(.618)
07	12.00(.472)	19.0(.748)	14.2(.559)	17.7(.697)
08	14.00(.551)	21.0(.827)	16.2(.638)	19.7(.776)
09	16.00(.630)	23.0(.906)	18.2(.717)	21.7(.854)


Halogen-Free

Lead Free Process

RoHS compliant

4					DATE	UNIT: mm / inch	TITLE: 2.00MM(.079") WIRE TO BOARD CONNECTOR	 瀚荃股份有限公司 CviLux Corporation			
3					DRAWN BY: Clark	7/04-16'	TOLERANCE UNLESS OTHERWISE SPECIFIED				
2					ENGINEER: Clark	7/04-16'	.X ± 0.25/.010 X' ± r	DRAWING NO. CI9911SA PART NO. CI99**M2HRE-NH			
1	Clark	06/29-16	ECNT116140		CHECKED BY: Eisley	7/06-16'	.XX ± 0.15/.006 X' ±				
SYM	NAME	DATE	REVISIONS		APPROVED BY: Eisley	7/06-16'	.XXX ± 0.10/.004 XX' ±	CUSTOMER:	SCALE	4 / 1	SHEET 1 OF 1



<div>4</div>						DATE	UNIT: mm / inch		TITLE: 2.00MM(.079") WIRE TO BOARD CONNECTOR	<div> 瀚荃股份有限公司 CviLux Corporation</div>				
<div>3</div>					DRAWN BY: Clark	7/04-16'	TOLERANCE UNLESS OTHERWISE SPECIFIED				MATERIAL:	DRAWING NO.	CI9911SA	PART NO.
<div>2</div>					ENGINEER: Clark	7/04-16'	.X ± 0.25/.010	X* ± r	CUSTOMER:			SCALE		SHEET
<div>1</div>	Clark	06/29-16	ECNT116140		CHECKED BY: Eisley	7/06-16'	.XX ± 0.15/.006	.X* ±						
SYM	NAME	DATE	REVISIONS		APPROVED BY: Eisley	7/06-16'	.XXX ± 0.08/.003	.XX* ±						