



Note:

1. Material:
 - * Base: High Temperature Polyamide
 - UL 94V-0 Color Nature

- * Contact: Brass

△ 2. For Tin-Lead Wave flow Process




SEC.A-A

Ordering Code:

CI06 ** P 1 H 0 0
 ① ② ③ ④ ⑤ ⑥ ⑦

- ① Series No.
- ② No. of circuits
- ③ Contact type: P= Pin Header
- ④ Plating option:
1= 3.05μm (120u") Tin
over 0.76μm(30u") Nickel
- ⑤ Type: H= Right angle type
- ⑥ Other option: 00= Standard
- ⑦ Process option:

For Tin-Lead Wave flow Process



Recommended P.C. Board Layout

△ A = 2.00 x No. of Spaces


B = A + 3.96

C = A + 2.8

* Available in 2 through 16 circuits

Tin-Lead Process

RoHS Compliant

④						DATE	UNIT: mm / inch	TITLE:	 瀚荃股份有限公司 CviLux Corporation
③	Enya	3/8-13'	ECN13056-0/ECR13007-1	DRAWN BY:	Enya	3/08-13'	TOLERANCE UNLESS OTHERWISE SPECIFIED	2.00mm PIN HEADER DIP TYPE	
②	Tim	11/09-10'	ECR10145-0/ECN10364	ENGINEER:	Eisley	3/09-13'	.X ± 0.30/012 X' ± 1'	MATERIAL:	
①	Sandy	9/27-07'	ECN07402	CHECKED BY:	Eisley	3/09-13'	.XX ± 0.20/008 .X' ±	FINISH:	
SYM	NAME	DATE	REVISIONS	APPROVED BY:	David	3/09-13'	.XXX ± 0.10/004 .XX' ±		DRAWING NO. CI0601SD
									PART NO. CI06**P1H00
									SCALE 3 / 1
									SHEET 1 OF 1

CVILUX CORP
2013.05.07
ISSUED