




瀚萃股份有限公司
CviLux Corporation
PACKING STANDARD

製訂日期：2015/12/29


SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING Q'TY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L / D	W	H			L	W	H			L	W	H		
CF1202*V0T*/-LF	2	G	PACK-TBC048-C/H	60.0	1.25	0.75	87	PACK-IBC014-C/H	61.7	6.0	10.2	4524	PACK-CTC011-C/H	63.0	15.0	23.0	18096	0.42
CF1203*V0T*/-LF	3	G	PACK-TBC048-C/H	60.0	1.25	0.75	77	PACK-IBC014-C/H	61.7	6.0	10.2	4004	PACK-CTC011-C/H	63.0	15.0	23.0	16016	8.83
CF1204*V0T*/-LF	4	G	PACK-TBC048-C/H	60.0	1.25	0.75	66	PACK-IBC014-C/H	61.7	6.0	10.2	3432	PACK-CTC011-C/H	63.0	15.0	23.0	13728	8.88
CF1205*V0T*/-LF	5	G	PACK-TBC048-C/H	60.0	1.25	0.75	58	PACK-IBC014-C/H	61.7	6.0	10.2	3016	PACK-CTC011-C/H	63.0	15.0	23.0	12064	8.93
CF1206*V0T*/-LF	6	G	PACK-TBC003-C/H	60.0	1.25	0.75	51	PACK-IBC014-C/H	61.7	6.0	10.2	2652	PACK-CTC011-C/H	63.0	15.0	23.0	10608	8.91
CF1207*V0T*/-LF	7	G	PACK-TBC003-C/H	60.0	1.25	0.75	46	PACK-IBC014-C/H	61.7	6.0	10.2	2392	PACK-CTC011-C/H	63.0	15.0	23.0	9568	8.92
CF1208*V0T*/-LF	8	G	PACK-TBC003-C/H	60.0	1.25	0.75	42	PACK-IBC014-C/H	61.7	6.0	10.2	2184	PACK-CTC011-C/H	63.0	15.0	23.0	8736	8.98
CF1209*V0T*/-LF	9	G	PACK-TBC003-C/H	60.0	1.25	0.75	38	PACK-IBC014-C/H	61.7	6.0	10.2	1976	PACK-CTC011-C/H	63.0	15.0	23.0	7904	8.93
CF1210*V0T*/-LF	10	G	PACK-TBC003-C/H	60.0	1.25	0.75	35	PACK-IBC014-C/H	61.7	6.0	10.2	1820	PACK-CTC011-C/H	63.0	15.0	23.0	7280	8.93
CF1211*V0T*/-LF	11	G	PACK-TBC003-C/H	60.0	1.25	0.75	33	PACK-IBC014-C/H	61.7	6.0	10.2	1716	PACK-CTC011-C/H	63.0	15.0	23.0	6864	9.02
CF1212*V0T*/-LF	12	G	PACK-TBC003-C/H	60.0	1.25	0.75	31	PACK-IBC014-C/H	61.7	6.0	10.2	1612	PACK-CTC011-C/H	63.0	15.0	23.0	6448	9.11
CF1213*V0T*/-LF	13	G	PACK-TBC003-C/H	60.0	1.25	0.75	29	PACK-IBC014-C/H	61.7	6.0	10.2	1508	PACK-CTC011-C/H	63.0	15.0	23.0	6032	9.00
CF1214*V0T*/-LF	14	G	PACK-TBC003-C/H	60.0	1.25	0.75	27	PACK-IBC014-C/H	61.7	6.0	10.2	1404	PACK-CTC011-C/H	63.0	15.0	23.0	5616	9.23
CF1215*V0T*/-LF	15	G	PACK-TBC003-C/H	60.0	1.25	0.75	25	PACK-IBC014-C/H	61.7	6.0	10.2	1300	PACK-CTC011-C/H	63.0	15.0	23.0	5200	9.14
CF1216*V0T*/-LF	16	G	PACK-TBC003-C/H	60.0	1.25	0.75	24	PACK-IBC014-C/H	61.7	6.0	10.2	1248	PACK-CTC011-C/H	63.0	15.0	23.0	4992	9.12
CF1217*V0T*/-LF	17	G	PACK-TBC003-C/H	60.0	1.25	0.75	23	PACK-IBC014-C/H	61.7	6.0	10.2	1196	PACK-CTC011-C/H	63.0	15.0	23.0	4784	9.04
CF1218*V0T*/-LF	18	G	PACK-TBC003-C/H	60.0	1.25	0.75	22	PACK-IBC014-C/H	61.7	6.0	10.2	1144	PACK-CTC011-C/H	63.0	15.0	23.0	4576	9.06
CF1219*V0T*/-LF	19	G	PACK-TBC003-C/H	60.0	1.25	0.75	21	PACK-IBC014-C/H	61.7	6.0	10.2	1092	PACK-CTC011-C/H	63.0	15.0	23.0	4368	9.07
CF1220*V0T*/-LF	20	G	PACK-TBC003-C/H	60.0	1.25	0.75	20	PACK-IBC014-C/H	61.7	6.0	10.2	1040	PACK-CTC011-C/H	63.0	15.0	23.0	4160	9.17
CF1221*V0T*/-LF	21	G	PACK-TBC003-C/H	60.0	1.25	0.75	19	PACK-IBC014-C/H	61.7	6.0	10.2	988	PACK-CTC011-C/H	63.0	15.0	23.0	3952	9.01
CF1222*V0T*/-LF	22	G	PACK-TBC003-C/H	60.0	1.25	0.75	18	PACK-IBC014-C/H	61.7	6.0	10.2	936	PACK-CTC011-C/H	63.0	15.0	23.0	3744	9.18
CF1223*V0T*/-LF	23	G	PACK-TBC003-C/H	60.0	1.25	0.75	17	PACK-IBC014-C/H	61.7	6.0	10.2	884	PACK-CTC011-C/H	63.0	15.0	23.0	3536	8.87
CF1224*V0T*/-LF	24	G	PACK-TBC003-C/H	60.0	1.25	0.75	17	PACK-IBC014-C/H	61.7	6.0	10.2	884	PACK-CTC011-C/H	63.0	15.0	23.0	3536	9.05
CF1225*V0T*/-LF	25	G	PACK-TBC003-C/H	60.0	1.25	0.75	16	PACK-IBC014-C/H	61.7	6.0	10.2	832	PACK-CTC011-C/H	63.0	15.0	23.0	3328	9.02
CF1226*V0T*/-LF	26	G	PACK-TBC003-C/H	60.0	1.25	0.75	16	PACK-IBC014-C/H	61.7	6.0	10.2	832	PACK-CTC011-C/H	63.0	15.0	23.0	3328	9.11
CF1227*V0T*/-LF	27	G	PACK-TBC003-C/H	60.0	1.25	0.75	15	PACK-IBC014-C/H	61.7	6.0	10.2	780	PACK-CTC011-C/H	63.0	15.0	23.0	3120	8.97
CF1228*V0T*/-LF	28	G	PACK-TBC003-C/H	60.0	1.25	0.75	15	PACK-IBC014-C/H	61.7	6.0	10.2	780	PACK-CTC011-C/H	63.0	15.0	23.0	3120	9.02
CF1229*V0T*/-LF	29	G	PACK-TBC003-C/H	60.0	1.25	0.75	14	PACK-IBC014-C/H	61.7	6.0	10.2	728	PACK-CTC011-C/H	63.0	15.0	23.0	2912	8.95

PACKING METHOD (包裝方式) :


1 PVC BAG (塑膠袋)
SIZE = L * W




2 TUBE (塑膠管)
SIZE = L * W * H




3 PVC TRAY (塑膠盒)
SIZE = L * W * H




4 REEL (紙盤)
SIZE = D * W




5 BOX (內紙盒)
SIZE = L * W * H



6 INSIDE CARTON (內箱)
SIZE = L * W * H




7 OUTSIDE CARTON (外箱)
SIZE = L * W * H



PACKING METHOD CODE (包裝方式代碼) :

- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = 4 → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = (2+1) → 6 → 7
- H = 3 → 6 → 7




瀚萃股份有限公司
CviLux Corporation
PACKING STANDARD

製訂日期：2015/12/29


SERIES OR P/N	CIRCUITS	PACKING METHOD CODE	INNER PACKING NO.	INNER PACKING SIZE (CM)			INNER PACKING Q'TY	INSIDE CARTON NO.	INSIDE CARTON SIZE (CM)			PCS / INSIDE CARTON	CARTON NO.	CARTON SIZE (CM)			PCS / CARTON	G.W REF. (KG)
				L/D	W	H			L	W	H			L	W	H		
CF1230*V0T*/-LF	30	G	PACK-TBC003-C/H	60.0	1.25	0.75	14	PACK-IBC014-C/H	61.7	6.0	10.2	728	PACK-CTC011-C/H	63.0	15.0	23.0	2912	9.09
CF1231*V0T*/-LF	31	G	PACK-TBC003-C/H	60.0	1.25	0.75	13	PACK-IBC014-C/H	61.7	6.0	10.2	676	PACK-CTC011-C/H	63.0	15.0	23.0	2704	8.89
CF1232*V0T*/-LF	32	G	PACK-TBC003-C/H	60.0	1.25	0.75	13	PACK-IBC014-C/H	61.7	6.0	10.2	676	PACK-CTC011-C/H	63.0	15.0	23.0	2704	9.03
CF1233*V0T*/-LF	33	G	PACK-TBC003-C/H	60.0	1.25	0.75	12	PACK-IBC014-C/H	61.7	6.0	10.2	624	PACK-CTC011-C/H	63.0	15.0	23.0	2496	8.79
CF1234*V0T*/-LF	34	G	PACK-TBC003-C/H	60.0	1.25	0.75	12	PACK-IBC014-C/H	61.7	6.0	10.2	624	PACK-CTC011-C/H	63.0	15.0	23.0	2496	8.92
CF1235*V0T*/-LF	35	G	PACK-TBC003-C/H	60.0	1.25	0.75	12	PACK-IBC014-C/H	61.7	6.0	10.2	624	PACK-CTC011-C/H	63.0	15.0	23.0	2496	9.04
CF1236*V0T*/-LF	36	G	PACK-TBC003-C/H	60.0	1.25	0.75	11	PACK-IBC014-C/H	61.7	6.0	10.2	572	PACK-CTC011-C/H	63.0	15.0	23.0	2288	8.76
注：真空管先用塑膠袋(PACK-PBC012-C不打孔)裝好后，再裝入內箱。																		

PACKING METHOD (包裝方式) :


1 PVC BAG (塑膠袋)
SIZE = L * W




2 TUBE (塑膠管)
SIZE = L * W * H




3 PVC TRAY (塑膠盒)
SIZE = L * W * H




4 REEL (紙盤)
SIZE = D * W




5 BOX (內紙盒)
SIZE = L * W * H



6 INSIDE CARTON (內箱)
SIZE = L * W * H



7 OUTSIDE CARTON (外箱)
SIZE = L * W * H



PACKING METHOD CODE (包裝方式代碼) :

- A = 1 → 7
- B = 2 → 7
- C = 3 → 7
- D = 4 → 7
- E = 5 → 7
- F = 1 → 6 → 7
- G = (2+1) → 6 → 7
- H = 3 → 6 → 7

文件履歷表

文件編號	CI15F121				
文件名稱	PACKING STANDARD				
內容變更敘述					
版本	2~5P 原管裝料號 PACK-TBC003-C/H 變更為 PACK-TBC048-C/H				發行日期
10	簽呈編號：ISOXR0181512037				2015.12.29
核准	Jackal	審核	Mavis	製表	周燕妮
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	
版本					發行日期
核准		審核		製表	