











LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



DTM04-12PA-L012  
KEY -A-  
COLOR: GREY

DTM04-12PB-L012  
KEY -B-  
COLOR: BLACK

DTM04-12PC-L012  
KEY -C-  
COLOR: GREEN

DTM04-12PD-L012  
KEY -D-  
COLOR: BROWN

TE INTERNAL PN	DEUTSCH PN
DTM04-12PA-L012	DTM04-12PA-L012
DTM04-12PB-L012	DTM04-12PB-L012
DTM04-12PC-L012	DTM04-12PC-L012
DTM04-12PD-L012	DTM04-12PD-L012

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
INCHES[mm]

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±.015 [0.38]

4 PLC ±

ANGLES ±0°30'0"

FINISH N/A

DWN A. MALAGON 21NOV2013

CHK BOB MILLIGAN 27OCT2014

APVD DAVID MEYER 27OCT2014

PRODUCT SPEC 0425-015-0000

APPLICATION SPEC 0425-015-0000

WEIGHT 23.25g

Customer Drawing

TE Connectivity

NAME  
RECEPTACLE 12 PIN CONT. #20  
A,B,C,D KEYS, -L012 MOD  
DTM SERIES

SIZE A3

CAGE CODE 4AFU8

DRAWING NO. ©-DTM04-12PX-L012



RESTRICTED TO -

SCALE 3:2





SHEET 2 OF 3

REV A1

2		1				
LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
			-	SEE SHEET 1	-	-



RECOMMENDED MOUNTING HOLE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN A. MALAGON 21NOV2013		 TE Connectivity							
DIMENSIONS: INCHES [mm]		CHK BOB MILLIGAN 27OCT2014									
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD DAVID MEYER 27OCT2014		NAME RECEPTACLE 12 PIN CONT. #20 A,B,C,D KEYS, -L012 MOD DTM SERIES							
	0 PLC ±	PRODUCT SPEC									
	1 PLC ±	0425-015-0000									
	2 PLC ±	APPLICATION SPEC		SIZE A3		CAGE CODE 4AFU8		DRAWING NO C-DTM04-12PX-L012		RESTRICTED TO -	
	3 PLC ±.015 [0.38]	0425-015-0000									
	4 PLC ±	WEIGHT 23.25g									
MATERIAL 		FINISH N/A		Customer Drawing							
				SCALE 2:1		SHEET 3		OF 3		REV A1	