



Recommended P.C. Board Layout



$A = 2.54 * \text{No. of Spaces}$

$B = A + 2.36$

\* Available in 9 through 120 circuits

Material:  
\* Contact: Brass

Ordering Code

CH96 \*\* \* H \* \*\*  
① ② ③ ④ ⑤ ⑥

- ① Series No.
- ② No. of Circuits
- △③ Plating Code:
  - 1= 3.05  $\mu\text{m}$ (120  $\mu\text{m}$ ) Min. Tin over 0.76  $\mu\text{m}$ (30  $\mu\text{m}$ ) Nickel
  - 2= Gold flash plated over 1.27  $\mu\text{m}$ (50  $\mu\text{m}$ ) Nickel
  - 3= 0.38  $\mu\text{m}$ (15  $\mu\text{m}$ ) Gold plated over 1.27  $\mu\text{m}$ (50  $\mu\text{m}$ ) Nickel
  - 4= 0.76  $\mu\text{m}$ (30  $\mu\text{m}$ ) Gold plated over 1.27  $\mu\text{m}$ (50  $\mu\text{m}$ ) Nickel
- ④ H= Right angle
- △⑤ Insulator:
  - 2= PBT UL 94V-0, Color Black
  - A= Nylon 6T UL 94V-0, Color Black
- ⑥ Pin Length Option code:

Option Code	Dimension	
	C	D
00	6.00(.236)	3.00(.118)
01	6.26(.246)	3.20(.126)

RoHS Compliant

④						DATE	UNIT: mm / inch	TITLE: 2.54MM(.100") TRIPLE ROW BOARD MOUNT PIN HEADER	瀚荃股份有限公司 CviLux Corporation
③	Jim	8/31/06	ECN06307/ECR06075-0	2006.09.15	DRAWN BY:	Jim	8/31 06'	TOLERANCE UNLESS OTHERWISE SPECIFIED	
②	Lynn	12/13-04	ECN04465/ECR04109-0	ISSUED	ENGINEER:	Eisley	9/3 06'	.X ± 0.30/.012    .X' ± 1'	MATERIAL:
①	Sun	4/09/04'	ECN04144		CHECKED BY:	David	9/3 06'	.XX ± 0.20/.008    .X' ±	FINISH:
SYM	NAME	DATE	REVISIONS		APPROVED BY:	Alex	9/3 06'	.XXX ± 0.10/.004    .XX' ±	DRAWING NO. CH9602SF
									PART NO. CH96***H***
									SCALE 3 / 1
									SHEET 1 OF 1